

LOCUS MMIL12P40 984 bp mRNA ROD 11-APR-1996
 DEFINITION M.monax mRNA for Il-12 p40 subunit.
 ACCESSION X97019
 VERSION X97019.1 GI:1262373
 KEYWORDS interleukin 12; p40 subunit.
 SOURCE woodchuck.
 ORGANISM Marmota monax
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Rodentia; Sciurognathi; Sciuridae; Sciurinae;
 Marmota.
 REFERENCE 1 (bases 1 to 984)
 AUTHORS Ackrill,A.M.
 TITLE Direct Submission
 JOURNAL Submitted (21-MAR-1996) A.M. Ackrill, Roche Research Centre, PO Box
 8, Broadwater Road, Welwyn Garden City, Herts AL7 3AY, UK
 REFERENCE 2 (bases 1 to 984)
 AUTHORS Laxton,C.D., Foster,G.R., Shanmuganathan,S., Mills,J.S. and
 Ackrill,A.M.
 TITLE Molecular cloning of interleukin-12 from the woodchuck Marmota
 monax
 JOURNAL Unpublished
 FEATURES Location/Qualifiers
 source 1..984
 /organism="Marmota monax"
 /db_xref="taxon:9995"
 /cell_type="mononuclear cells"
 /tissue_type="peripheral blood"
 CDS 1..984
 /note="subunit p40"
 /codon_start=1
 /product="interleukin-12"
 /protein_id="CAA65747.1"
 /db_xref="GI:1262374"
 /db_xref="SWISS-PROT:Q61729"
 /translation="MCLQQLVISWVSLVWLASPLLAWELEKNVYVVELDWHPDTPGE
 KVVLTCDTPEEDGITWTSEQSSEVLGSGKTLTILVKEFEDAGHYTCRRGGEVLSQMLL
 LLHKNEGDIWSTDILKKKEPENKNLVTCEAKNYSGRFTCWWLTAISTDVNFSVKSHRG
 SSDPQGVTCGEATLSAERVKIEQREYKKYSVQCQEDNACPTAEETLPITVVVDAVHKL
 KYENYISSFFIRDIIKPDPPKNLKMKPSKTPQQVEVTWEYPDSWSTPHSYFSLTFSVQ
 VQGKKKKRSNTLHVDTKTSVTVCQKGAKVSVQARDRYNSSWSEWATMSCP"
 BASE COUNT 271 a 256 c 259 g 198 t
 ORIGIN
 1 atgtgtcttc agcagttggt catctcctgg gtctccctgg tttggctggc atctccctc
 61 ttggccatat gggaactgga gaaaaatgtc tacgtggtgg agttggattg gcacctgac
 121 acacctggag aaaaggtggt cctcacctgt gacactcctg aagaagacgg catcacctgg
 181 acctcagagc agagcagtg ggtcttaggc tccggcaaaa ccctgacctat tctagtcaaa
 241 gagtttgaag acgctggcca ctacacctgc cgcagaggag gtgaagttct gagccagatg
 301 ctctgtctgc ttcacaaaaa tgaagatggg atttggtcca ctgatattct gaagaaaaaa
 361 gaacctgaaa ataagaacct tgtaacatgc gaggcaaaga attactctgg acgttttacc
 421 tgctggtggc tgacggcaat cagtactgat gtgaacttca gtgtcaagag ccacagaggc
 481 tcctctgacc ctcaaggggt gacgtgtgga gaagcaactc tctctgcaga gaggggtcaa
 541 atagagcaga gggagtacaa gaagtactcg gtgcagtgcc aggaggacaa tgccctgcccc
 601 accgctgagg agaccctgcc catcacagtg gtggtggacg cagttcaca gctcaagtac
 661 gaaaactaca tcagcagctt cttcatcaga gacatcatca aacctgaccc acccaagaac
 721 ctaaagatga agccatccaa gactcctcag caggtggagg tcacctggga gtacccggac
 781 agctggagca ccccgcaact ctacttctcc ctgacattct ctgtgcaggt ccagggcaaa
 841 aagaagaaaa ggagcaatac tctccacgtg gataagacct cagtcacagt gacctgccag
 901 aagggtgcca aggtcagcgt gcaagcccgg gaccgatact acaactcatc gtggagtgaa
 961 tgggcaacta tgcctgccc ttag

//

LOCUS CFU49100 1015 bp mRNA MAM 13-MAR-1996
 DEFINITION Canis familiaris interleukin-12 p40 subunit mRNA, complete cds.
 ACCESSION U49100
 VERSION U49100.1 GI:1223907
 KEYWORDS .
 SOURCE dog.
 ORGANISM Canis familiaris
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Carnivora; Fissipedia; Canidae; Canis.
 REFERENCE 1 (bases 1 to 1015)
 AUTHORS Belke-Louis, G.F. and Buettner, M.
 TITLE Cloning and sequence analysis of the p35 and p40 subunits of canine interleukin-12
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 1015)
 AUTHORS Belke-Louis, G.F.
 TITLE Direct Submission
 JOURNAL Submitted (13-FEB-1996) Georg F. Belke-Louis, Institute of Med. Microbiology, Veterinärstr. 13, Muenchen, D-80539, Germany
 FEATURES Location/Qualifiers
 source 1..1015
 /organism="Canis familiaris"
 /db_xref="taxon:9615"
 CDS 1..990
 /codon_start=1
 /product="interleukin-12 p40 subunit"
 /protein_id="AAA92059.1"
 /db_xref="GI:1223908"
 /translation="MHPQQLVISWFSVLVLLASSLMTIWELEKDVYVVELDWHPDAPGE
 MVVLTCHTPEEDDITWTS AQSSSEVLGSGKTLTIQVKEFGDAGQYTCHKGGKVLRSLL
 LIHKKEDGIWSTDILKEQKESKNKIFLKCEAKNYSGRFTCWWLTAISTDLKFSVKSSR
 GFSDPQGVTCGAVTLAERVRVDNRDYKKYTVCEQEGSACPSAEESLPIEVVVDIAHK
 LKYENYTSFFIRDIIKPDPTNLQLKPLKNSRHVEVSWEYPDTWSTPHSYFSLTFCV
 QAQGKNNREKKDRLCVDKTS AKVVCHKDAKIRVQARDRIYSSSSWSDWASVSCS"
 BASE COUNT 285 a 251 c 254 g 225 t
 ORIGIN
 1 atgcacccctc agcagttggt catctcctcg ttttccctcg ttttgctggc gtcttcctc
 61 atgaccatat gggaactgga gaaagatgtt tatgttgtag agttggactg gcaccctgat
 121 gcccccgag aaatggtggt cctcacctgc catacccctg aagaagatga catcacttgg
 181 acctcagcgc agagcagtga agtcctaggt tctggtaaaa ctctgacat ccaagtcaaa
 241 gaatttgtag atgctggcca gtatacctgc cataaaggag gcaaggttct gagccgctca
 301 ctctgttgga ttcacaaaaa agaagatgga atttggtcca ctgatatctt aaaggaacag
 361 aaagaatcca aaaataagat ctttctgaaa tgtgaggcaa agaattattc tggacgtttc
 421 acatgctggt ggctgacggc aatcagtact gatttgaaat tcagtgtcaa aagtagcaga
 481 ggcttctctg accccaaggg ggtgacatgt ggagcagtga cactttcagc agagagggtc
 541 agagtggaca acagggatta taagaagtag acagtggagt gtcaggaagg cagtgcctgc
 601 cctctgccc aggagagcct acccatcgag gtcgtggtgg atgctattca caagctcaag
 661 tatgaaaact acaccagcag cttcttcac agagacatca tcaaaccaga cccaccaca
 721 aacctgcagc tgaagccatt gaaaaattct cggcacgtgg aggtcagctg ggaatacccc
 781 gacacctgga gcacccaca ttctacttc tccctgacat tttgcgtaca ggcccagggc
 841 aagaacaata gagaaaagaa agatagactc tgcgtggaca agacctcagc caaggtcgtg
 901 tgccacaagg atgccaaagat ccgcgtgcaa gcccgagacc gctactatag ttcactctgg
 961 agcgactggg catctgtgtc ctgcagttag gttccacccc caggatgaat cttgg
 //

LOCUS AF007576 1012 bp mRNA MAM 14-JUL-1997
 DEFINITION Capra hircus interleukin 12 p40 subunit (IL-12) mRNA, complete cds.
 ACCESSION AF007576
 VERSION AF007576.1 GI:2253433
 KEYWORDS .
 SOURCE goat.
 ORGANISM Capra hircus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidea;
 Bovidae; Caprinae; Capra.
 REFERENCE 1 (bases 1 to 1012)
 AUTHORS Beyer, J.C., Cheevers, W.P. and Kumpula-McWhirter, N.M.
 TITLE Cloning of caprine IL-12 40 kDa subunit
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 1012)
 AUTHORS Beyer, J.C., Cheevers, W.P. and Kumpula-McWhirter, N.M.
 TITLE Direct Submission
 JOURNAL Submitted (09-JUN-1997) Veterinary Microbiology and Pathology,
 Washington State University, P.O. Box 647040, Pullman, WA
 99164-7040, USA
 FEATURES Location/Qualifiers
 source 1..1012
 /organism="Capra hircus"
 /db_xref="taxon:9925"
 /cell_type="LPS-stimulated microglial cell"
 gene 1..1012
 /gene="IL-12"
 CDS 1..984 Birgit OPPMANN, et al.
 /gene="IL-12" USSN: 09/658,699
 /codon_start=1 Atty. Docket No.: DX01042X
 /product="interleukin 12 p40 subunit"
 /protein_id="AAB62945.1"
 /db_xref="GI:2253434"
 /translation="MHPQQLVVSWSFSLVLLASPIVAIWELEKNVYVVELDWYPNAPGE
 TVVLTCDTPEEDGITWTSDQSSEVLGSGKTLTIQVKEFGDAGQYTCHKGGEVLSRSL
 LLHKKEDGIWSTDILKDQKEPKAKSFLKCEAKDYSGHFTCSWLTAISTNLKFSVKSSR
 GSSDPRGVTGCAASLSAEKVSMDHREYNKYTVECEGSACPAEESLPIEVVMEAVHK
 LKYENYTSSFFIRDIIKPDPPKNLQLRPLKNSRQVEVSWEYPDWSTPHSYFSLTFCV
 QVQGKNKREKLFDTQTSKVTCHKDANIRVQARDRIYSSFSEWASVSCS"
 BASE COUNT 280 a 253 c 260 g 219 t
 ORIGIN
 1 atgcaccctc agcagttggt cgtttcctgg ttttccttgg ttttgctggc atctcccatc
 61 gtggccatat gggaactgga gaaaaatggt tatgttgtag aattggattg gtatccctaat
 121 gtcctctggag aaacagtggg cctcacgtgt gacactcctg aagaagacgg catcacctgg
 181 acctcagacc agagcagtga ggtcctgggc tctggcaaaa ccttgaccat ccaagtcaaa
 241 gagtttgtag atgctgggca gtacacctgt cacaaaggag gcgaggttct gagtcgttca
 301 ctctctctgc ttcacaaaaa ggaagatgga atttggtcca ctgatatttt aaaggatcag
 361 aaagaaccca aagctaagag ttttttaaaa tgtgaggcaa aggattattc tggacacttc
 421 acctgctcgt ggctgacagc aatcagtact aatctgaaat tcagtgtcaa aagcagcaga
 481 ggctcctctg acccccagag ggtgacgtgc ggagcagcgt cactctcagc agagaagggtc
 541 agcatggacc acagggagta taacaagtac acagtggagt gtcaggaggg cagtgcctgc
 601 ccggccgcgg aggagagcct gccatttgag gtcgtgatgg aagctgtgca caagctcaag
 661 tatgaaaaat acaccagcag cttcttcata agggacatca tcaaaccaga cccacccaag
 721 aacctgcaac tgagaccact aaagaattct cggcaggtgg aggtcagctg ggagtaccct
 781 gacacgtgga gcacccaca ttcctacttc tccctgacgt tttgtgttca ggtccaggga
 841 aagaacaaga gagaaaagaa actcttcacg gaccaaact cagccaaagt cacatgccac
 901 aaggatgcca acatccgtgt gcaagcccgg gaccgctact acagctcatt ctggagttaa
 961 tgggcatctg tgtcctgcag ttaggttcta acctcagtat gaaacctcag ag
 //

LOCUS FCU83184 990 bp mRNA MAM 16-JUL-1999
 DEFINITION Felis catus interleukin-12 p40 subunit (IL-12) mRNA, complete cds.
 ACCESSION U83184
 VERSION U83184.1 GI:2735050
 KEYWORDS .
 SOURCE cat.
 ORGANISM Felis catus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Felis.
 REFERENCE 1 (bases 1 to 990)
 AUTHORS Fehr,D., Dean,G.A., Huder,J., Fan,Z., Huettner,S., Higgins,J.W.,
 Pedersen,N.C. and Lutz,H.
 TITLE Nucleotide and predicted peptide sequence of feline interleukin-12
 (IL-12)
 JOURNAL DNA Seq. 8 (1-2), 77-82 (1997)
 MEDLINE 98182592 Birgit OPPMANN, et al.
 PUBMED 9522125 USSN: 09/658,699
 REFERENCE 2 (bases 1 to 990) Atty. Docket No.: DX01042X
 AUTHORS Fehr,D., Dean,G.A., Huder,J., Fan,Z., Huettner,S., Higgins,J.W.,
 Pedersen,N.C. and Lutz,H.
 TITLE Direct Submission
 JOURNAL Submitted (24-DEC-1996) Clinical Laboratory, Department of Internal
 Veterinary Medicine, University of Zurich, Winterthurerstrasse 260,
 Zurich, ZH 8057, Switzerland
 FEATURES Location/Qualifiers
 source 1..990
 /organism="Felis catus"
 /db_xref="taxon:9685"
 CDS 1..990
 /note="cytokine"
 /codon_start=1
 /product="interleukin-12 p40 subunit"
 /protein_id="AAB93835.1"
 /db_xref="GI:2735051"
 /translation="MHPQQLVIAWFSLVLLAPPLMAIWELEKNVYVVVELDWHDPAPGE
 MVVLTCDTPEEDDITWTSDQSSEVLGSGKTLTIQVKEFADAGQYTCHKGGEVLSHSFL
 LIHKKEDGIWSTDILREQESKNKIFLKCEAKNYSGRFTCWWLTAISTDLKFTVKSSR
 GSSDPQGVTCGAATLSAEKVRVDNRDYKKYTVECQEGSACPAAEESLPIEVVVDIAHK
 LKYENYTSSFFIRDIIKPDPPKNLQLKPLKNSRHVEVSWEYPDTWSTPHSYFSLTFGV
 VQVGKNNREKKDRLSVDKTSAKVVCHKDAKIRVQARDRIYSSSSWSNWASVSCS"
 BASE COUNT 283 a 251 c 249 g 207 t
 ORIGIN
 1 atgcacccctc agcagctggt catcgccctgg tttccctgg ttttgcctgg acctcccctc
 61 atggccatat gggaaactgga gaaaaacgtt tatgtttag agttggactg gcaccctgat
 121 gcccccgag aaatggtggt cctcacctgt gacacgcctg aagaagatga catcacctgg
 181 acctctgacc agagcagtga agtcctaggc tctggtaaaa ctctgacct ccaagtcaaa
 241 gaatttgcag atgctggcca gtatacctgt cataaaggag gcgaggttct gagccattcg
 301 ttctctctga tacacaaaaa ggaagatgga atttggcca ctgatatctt aagggaacag
 361 aaagaatcca aaaataagat ctttctaaaa tgtgaggcaa agaattattc tggacgtttc
 421 acctgctggt ggctgacggc aatcagtagc gatttgaaat tctactgtcaa aagcagcaga
 481 ggctcctctg acccccagg ggtgacttgt ggagcagcga cactctcagc agagaaggtc
 541 agagtggaca acagggatta taagaagtac acagtggagt gtcaggaggg cagtgcctgc
 601 ccggtgcgag aggagagcct acccattgaa gtcgtggtgg acgctattca caagctcaag
 661 tacgaaaact acaccagcag cttcttcac agggacatca tcaaaccgga cccacccaag
 721 aacctgcaac tgaagccatt aaaaaattct cggcatgtgg aagtgcctgc ggaataacct
 781 gacacctgga gcaccccaaca ttctacttc tcttaacat ttggcgta ggtccagggc
 841 aagaacaaca gagaaaagaa agacagactc tccgtggaca agacctcagc caaggtcgtg
 901 tgccacaagg atgccaagat ccgcgtgcaa gccagagacc gctactatag ctcactctgg
 961 agcaactggg catccgtgtc ctgcagttag
 //

LOCUS RNU16674 821 bp mRNA ROD 07-NOV-1994
 DEFINITION Rattus norvegicus interleukin-12p40 mRNA, partial cds.
 ACCESSION U16674
 VERSION U16674.1 GI:565093
 KEYWORDS .
 SOURCE Norway rat.
 ORGANISM Rattus norvegicus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae;
 Rattus.
 REFERENCE 1 (bases 1 to 821)
 AUTHORS Goodman, R.E. and Toews, G.B.
 TITLE A partial cDNA of the coding region of rat IL-12p40, cloned by
 RT/PCR from Staphylococcal endotoxin stimulated splenocytes
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 821)
 AUTHORS Goodman, R.E.
 TITLE Direct Submission
 JOURNAL Submitted (27-OCT-1994) Richard E. Goodman, Internal
 Medicine/Pulmonary, University of Michigan, 1150 W. Medical Center
 Dr., 3311 Med. Sci. I, Ann Arbor, MI 48109-0652, USA

FEATURES Location/Qualifiers
 source 1..821
 /organism="Rattus norvegicus"
 /strain="Fischer"
 /db_xref="taxon:10116"
 /tissue_type="cultured splenocytes (SEA plus SEB
 stimulation)"
 CDS 17..>821
 /note="encodes the N-terminal 268 amino acids of the
 expected 335 amino acids encoded by the mouse gene"
 /codon_start=1
 /product="interleukin-12p40"
 /protein_id="AAA52229.1"
 /db_xref="GI:565094"
 /translation="MCHQKLTFSWFAMVLLVSPLMAMWELEKDVYVVEVDWRPDAPGE
 TVTLTCDSPPEEDDITWTSQRRGVIGSGKTLTITVREFLDAGQYTCHRGGETLSHSHL
 LLHKKENGIWSTEILKNFKNKTFLKREAPNYSGRFTCSWLVRNTDLKFNIKSSSSSP
 ESRVTCGAASLSAEKVTLNQRDYEKYSVACQEDVTCPTAEETLPIELVVEAQQQNKY
 ENYSTSFFIRDIIKPDPPKNLQVKPLKNSQVEVSWEYPDSWSTPHSYFSL"

BASE COUNT 224 a 218 c 211 g 168 t
 ORIGIN

```

1  ctgcgcagcag agcaagatgt gtcacacagaa gttaaccttc tcttggtttg ccatgggtttt
61  gctgggtgtct ccactcatgg ccatgtggga gctggagaaa gatgtttatg ttgtagaggt
121 ggactggcgc cccgatgccc ctggagaaac ggtgaccctc acctgtgaca gtcctgaaga
181 agatgacatc acctggacct cagaccagag acgtggagtc ataggctctg gaaagaccct
241 gaccatcact gtcagagagt ttctagatgc tggccaatac acctgccaca gaggaggcga
301 gactctgagc cactcacatc tgctgctcca caagaaggaa aatggaattt ggtccaccga
361 gatttttaaaa aattttcaaaa ataagacttt cctgaagaga gaagcaccaa actactccgg
421 acggttcacc tgctcatggc tgggtgcacg aaacacggac ttgaagtta acatcaagag
481 cagcagcagt tcccctgagt ctcgggcggt gacatgtgga gcagcatctc tgtctgcaga
541 gaaggtcaca ctgaaccaaa gggactacga gaagtactca gtggcgtgcc aggaggacgt
601 cacctgcccc actgccgagg agaccctgcc cattgaactg gtgggtggagg cccagcagca
661 gaataaatat gagaactaca gcaccagctt cttcatcagg gacatcatca aaccggaccc
721 acccaagaac ctgcaggtga aacctttgaa gaactctcag gtggaggtca gctgggagta
781 ccctgactcc tggagcactc cccattccta cttctccctc a

```

//

Birgit OPPMANN, et al.
 USSN: 09/658,699
 Atty. Docket No.: DX01042X

LOCUS HUMCLMF40 1399 bp mRNA PRI 27-APR-1993
 DEFINITION Human cytotoxic lymphocyte maturation factor 40 kDa subunit mRNA, complete cds.
 ACCESSION M65272 M38443 M38444
 VERSION M65272.1 GI:180625
 KEYWORDS cytotoxic lymphocyte maturation factor 40 kDa subunit; interleukin.
 SOURCE Human, cDNA to mRNA.
 ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 REFERENCE 1 (bases 1 to 1399)
 AUTHORS Gubler, U., Chua, A.O., Schoenhaut, D.S., Dwyer, C.M., McComas, W., Motyka, R., Nabavi, N., Wolitzky, A.G., Quinn, P.M., Familletti, P.C. and Gately, M.K.
 TITLE Coexpression of two distinct genes is required to generate secreted bioactive cytotoxic lymphocyte maturation factor
 JOURNAL Proc. Natl. Acad. Sci. U.S.A. 88, 4143-4147 (1991)
 MEDLINE 91239523
 FEATURES
 source Location/Qualifiers
 1..1399
 /organism="Homo sapiens"
 /db_xref="taxon:9606"
 CDS
 43..1029
 /codon_start=1
 /product="cytotoxic lymphocyte maturation factor 40 kDa subunit"
 /protein_id="AAA35695.1"
 /db_xref="GI:180626"
 /translation="MCHQQLVISWFSVLVFLASPLVAIWELKKDQVYVVELDWYPDAPGE
 MVVLTCDDTPEEDGITWTLDQSSEVLGSGKTLTIQVKEFGDAGQYTCHKGGEVLSHLL
 LLHKKEDGIWSTDILKDQKEPKNKTFLRCEAKNYSGRFTCWLLTTISTDLTFSVKSSR
 GSSDPQGVTCGAATLSAERVGRDNKEYEYSVEQCQEDSACPAAEESLPIEVMVDAVHKL
 KYENYTSSFFIRDIIKDPKPNLQLKPLKNSRQVEVSWEYPDTWSTPHSYFSLTFCVQ
 VQGKSKREKKDRVFTDKTSATVICRKNASISVRAQDRYSSSWSEWASVPCS"

BASE COUNT 390 a 310 c 333 g 366 t
 ORIGIN

```

1 ctgtttcagg gccattggac tctccgtcct gccagagca agatgtgtca ccagcagttg
61 gtcattctctt ggttttccct ggtttttctg gcattctccc tcgtggccat atgggaactg
121 aagaaagatg tttatgtcgt agaattggat tggatccgg atgcccctgg agaatgggtg
181 gtcctcacct gtgacacccc tgaagaagat ggtatcacct ggaccttgga ccagagcagt
241 gaggtcttag gctctggcaa aacctgacc atccaagtca aagagtttg agatgctggc
301 cagtacacct gtcacaaagg aggcgaggtt ctaagccatt cgctcctgct gcttcacaaa
361 aaggaagatg gaatttggtc cactgatatt ttaaaggacc agaaagaacc caaaaataag
421 acctttctaa gatcgagggc caagaattat tctggacgtt tcacctgctg gtggctgacg
481 acaatcagta ctgatttgac attcagtgtc aaaagcagca gaggtctctt tgacccccaa
541 ggggtgacgt gcggagctgc tacactctct gcagagagag tcagagggga caacaaggag
601 tatgagtact cagtggagtg ccaggaggac agtgccctgc cagctgctga ggagagtctg
661 cccattgagg tcatggtgga tgccggttcac aagctcaagt atgaaaacta caccagcagc
721 ttcttcatca gggacatcat caaacctgac ccacccaaga acttgacgct gaagccatta
781 aagaattctc ggcaggtgga ggctcagctg gagtaccttg acacctggag tactccacat
841 tctactttct ccctgacatt ctgcgttcag gtccagggca agagcaagag agaaaagaaa
901 gatagagtct tcacggacaa gacctcagcc acggtcatct gccgcaaaaa tgccagcatt
961 agcgtgcggg cccaggaccg ctactatagc tcatcttgga gcgaatgggc atctgtgccc
1021 tgcagttagg ttctgatcca ggatgaaaat ttggaggaaa agtgggaagat attaagcaaa
1081 atgttttaaag acacaacgga atagacccaa aaagataatt tctatctgat ttgcttttaa
1141 acgttttttt aggatcacia tgatatcttt gctgtatttg tatagttaga tgctaaatgc
1201 tcattgaaac aatcagctaa tttatgtata gattttccag ctctcaagtt gccatgggccc
1261 tcatgtctat ttaaatattt aagtaattta tgtattttatt agtatattac tgttatttaa
1321 cgtttgctct ccaggatgta tggaaatgtt catactctta tgacctgac catcaggatc
1381 agtccttatt atgcaaaat

```

//

Birgit OPPMANN, et al.
 USSN: 09/658,699
 Atty. Docket No.: DX01042X

LOCUS AF133197 1008 bp mRNA ROD 08-APR-1999
 DEFINITION Rattus norvegicus interleukin-12 p40 precursor, mRNA, complete cds.
 ACCESSION AF133197
 VERSION AF133197.1 GI:4574731
 KEYWORDS . Birgit OPPMANN, et al.
 SOURCE Norway rat. USSN: 09/658,699
 ORGANISM Rattus norvegicus Atty. Docket No.: DX01042X
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae;
 Rattus.
 REFERENCE 1 (bases 1 to 1008)
 AUTHORS Khalife,J., Pierrot,C., Cocude,C., Cetre,C., Godin,C. and Capron,A.
 TITLE Molecular cloning and sequencing of the rat interleukin-12 p40 gene
 JOURNAL Eur. Cytokine Netw. 9 (1), 69-73 (1998)
 MEDLINE 98273736
 REFERENCE 2 (bases 1 to 1008)
 AUTHORS Khalife,J., Pierrot,C., Cocude,C., Cetre,C., Godin,C. and Capron,A.
 TITLE Direct Submission
 JOURNAL Submitted (05-MAR-1999) InSERM U167, 1, rue du professeur Calmette,
 Lille 59019, France
 FEATURES Location/Qualifiers
 source 1..1008
 /organism="Rattus norvegicus"
 /strain="Fischer"
 /db_xref="taxon:10116"
 CDS 1..1008
 /note="IL-12P40"
 /codon_start=1
 /product="interleukin-12 p40 precursor"
 /protein_id="AAD24190.1"
 /db_xref="GI:4574732"
 /translation="MCHQKLTFSWFAMVLLVSPILMAMWELEKDVYVVEVDWRPDAPGE
 TVTLTCDSPPEEDDITWTSQRRGVIGSGKTLTITVREFLDAGQYTCHRGGETLSHSHL
 LLHKKENGIWSTEILKNFKNKTFKCEAPNYSGRFTCSWLVRNTDLKFNKSSSSSP
 ESRAVTCGRASLSAEKVTLNQRDYEKYSVACQEDVTCPTAETLPIELVVEAQQQNKY
 ENYSTSFFIRDIIKPDPPKNLQVKPLKNSQVEVSWEYPDSWSTPHSYFSLKFFVRIQR
 KKEKTKETEEECNQKGAFLVEKTSAEVQCKGANICVQAQDRYNNSSCSKWTCVPCRGR
 S"
 BASE COUNT 280 a 262 c 263 g 203 t
 ORIGIN
 1 atgtgtcatc agaagttaac cttctcctgg tttgccatgg ttttgctggt gtctccactc
 61 atggccatgt gggagctgga gaaagatgtt tatgtttag aggtggactg gcgccccgat
 121 gcccctggag aaacggtgac cctcacctgt gacagtcctg aagaagatga catcacctgg
 181 acctcagacc agagacgtgg agtcataggc tctggaaaaga ccctgaccat cactgtcaga
 241 gagtttctag atgctggcca atacacctgc cacagaggag gcgagactct gagccactca
 301 catctgctgc tccacaagaa ggaaaatgga atttggtcca ccgagatttt aaaaaatttc
 361 aaaaataaga ctttcctgaa gtgtgaagca ccaaactact ccggacggtt cacctgctca
 421 tggctggtgc acagaaacac ggacttgaag tttaacatca agagcagcag cagttcccct
 481 gagtctcggg cggtgacatg tggacgagca tctctgtctg cagagaaggt cacactgaac
 541 caaagggact acgagaagta ctcagtggcg tgccaggagg acgtcacctg cccaactgcc
 601 gaggagaccc tgcccattga actggtggtg gaggcccagc agcagaataa atatgagaac
 661 tacagacca gcttcttcat cagggacatc atcaaaccgg acccacccaa gaacctgcag
 721 gtgaaacctt tgaagaactc tcaggtggag gtcagctggg agtaccctga ctctgggagc
 781 actccccatt cctacttctc cctcaagttc ttcgtccgca tccagcgcaa gaaagaaaag
 841 acgaaggaga cagaggagga gtgtaaccag aaaggtgcgt tcctcgtaga gaagacctct
 901 gccgaagtcc aatgcaaagg ggcgaatatc tgcgtgcaag cgcaggaccg ctactacaat
 961 tcatcatgca gcaaatggac atgtgtaccc tgcaggggcc gatcctaa
 //

LOCUS CEU57752 993 bp mRNA MAM 28-OCT-1999
 DEFINITION Cervus elaphus interleukin-12 p40 subunit mRNA, complete cds.
 ACCESSION U57752
 VERSION U57752.1 GI:1373387
 KEYWORDS .
 SOURCE red deer.
 ORGANISM Cervus elaphus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Cervioidea;
 Cervidae; Cervinae; Cervus.
 REFERENCE 1 (bases 1 to 993)
 AUTHORS Lockhart,E., Slobbe,L. and Buchan,G.
 TITLE The characterisation of a cervine immunoregulatory cytokine,
 interleukin 12
 JOURNAL DNA Seq. 10 (2), 139-148 (1999)
 MEDLINE 99304506
 PUBMED 10376218 Birgit OPPMANN, et al.
 REFERENCE 2 (bases 1 to 993) ;
 AUTHORS Lockhart,E.A. and Buchan,G.S. USSN: 09/658,699
 TITLE Direct Submission Atty. Docket No.: DX01042X
 JOURNAL Submitted (08-MAY-1996) Euan A. Lockhart, Microbiology, University
 of Otago, Cumberland St, Dunedin, New Zealand
 FEATURES Location/Qualifiers
 source 1..993
 /organism="Cervus elaphus"
 /db_xref="taxon:9860"
 /cell_type="peripheral blood mononuclear cells"
 primer_bind 1..33
 CDS 1..984
 /codon_start=1
 /product="interleukin-12 p40 subunit"
 /protein_id="AAB02258.1"
 /db_xref="GI:1373388"
 /translation="MHPQQLVVSWSFSLVLLTSPIVAIWELEKNVYVVELDWYPDAPGE
 TVVLRCDTPEEDGITWTSQSSSEVLGSGKTLTVQVKEFGDAGQYTCHKGGEVLSRSL
 LLHKKEDGIWSTDILKDQKEPKAKSFLKCEAKDYSGHFTCWWLTAISTDLKFSVKSSR
 GSSDPRGVTGGAASLSTEKVIVDHREYKKYTVECEGSACPAEESLPiEVVVEAVHK
 LKYENYTSSFFIRDIIKPDPPKNLQLRPLKNSRQVEVSWEYPDTWSTPHSYFSLTFCV
 QVQGKNKREKKLFMDQTSKVTCHKDASIRVQARDRYNSFWSEWASVSCS"
 primer_bind complement(961..993)
 BASE COUNT 269 a 240 c 263 g 221 t
 ORIGIN
 1 atgcaccctc agcagttggt cgtttcctgg ttttcctgg ttttgcctgac atctccatt
 61 gtggccatat gggaactgga gaaaaatggt tatgtttag aattggattg gtatcctgat
 121 gctcctggag aaacggtggt cctcaggtgt gacactcctg aagaagacgg tatcacctgg
 181 acctcagacc agagcagtga ggtcttgggc tctggcaaaa ccttgaccgt ccaagtcaaa
 241 gagtttggag atgctgggca gtacacctgt cacaaaggag gcgaggttct gagtcgttca
 301 ctctcctctgc tgcacaaaaa ggaagatgga atttggtcta ctgatatttt aaaggatcag
 361 aaagaaccca aagccaagag ttttttaaaa tgtgaggcaa aggattattc tggacacttc
 421 acctgctggt ggctgacagc aatcagtact gatttgaaat tcagtgtcaa aagcagcaga
 481 ggctcctctg acccccagag ggtgacgtgc ggagcagcgt cgctctcaac agagaaggtc
 541 attgtggacc acagggagta taagaagtag acagtggagt gtcaagaggg cagcgctgc
 601 cgggccgcag aggagagcct gccattgag gtcgtagtgg aagctgtgca caagctcaag
 661 tatgaaaact acaccagcag cttcttcate agggacatca tcaaaccaga cccacccaag
 721 aacctgcaac tgagaccatt aaagaattct cggcaggtgg aggtcagctg ggagtaccct
 781 gacacgtgga gcaccccaca ttctacttc tccctgacgt tttgtgttca ggtccaggga
 841 aagaacaaga gagaaaagaa actcttcatt gaccaaact cagccaaagt cacgtgtcac
 901 aaggatgcca gcatccgcgt gcaagcccg gaccgctact acaactcatt ctggagtga
 961 tgggcatctg tgtcctgcag ttaggttcta acc

//

LOCUS ECIL12P40 1058 bp mRNA MAM 17-NOV-1999
 DEFINITION Equus caballus mRNA for interleukin 12 p40 subunit.
 ACCESSION Y11129
 VERSION Y11129.1 GI:5441622
 KEYWORDS interleukin-12 p40. Birgit OPPMANN, et al.
 SOURCE horse. USSN: 09/658,699
 ORGANISM Equus caballus Atty. Docket No.: DX01042X
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Perissodactyla; Equidae; Equus.
 REFERENCE 1 (bases 1 to 1058)
 AUTHORS Nicolson,L., Penha-Goncalves,M.N., Keanie,J.L., Logan,N.A.,
 Argyle,D.J. and Onions,D.E.
 TITLE Cloning and sequencing of horse interleukin-12 and interleukin-18
 cDNAs
 JOURNAL Immunogenetics 50 (1-2), 94-97 (1999)
 MEDLINE 20009534
 REFERENCE 2 (bases 1 to 1058)
 AUTHORS Nicolson,L.
 TITLE Direct Submission
 JOURNAL Submitted (04-FEB-1997) L. Nicolson, Dept. of Vet. Pathology,
 University of Glasgow Vet. School, Bearsden Rd., Glasgow G61 1QH,
 UK
 FEATURES Location/Qualifiers
 source 1..1058
 /organism="Equus caballus"
 /db_xref="taxon:9796"
 /cell_line="LPS-stimulated alveolar macrophages"
 /cell_type="alveolar macrophages"
 gene 1..990
 /gene="IL-12 p40"
 misc_feature 1..12
 /gene="IL-12 p40"
 /note="primer-derived sequence"
 CDS 1..990
 /gene="IL-12 p40"
 /codon_start=1
 /product="interleukin 12 p40 subunit"
 /protein_id="CAA72011.1"
 /db_xref="GI:5441623"
 /translation="MCHQWLVLVSWFSLVLLASPLMAIWELEKDVYVVELDWYPDAPGE
 MVVLT CNTPEEEGITWTSAQSNVGLSGKTLTIQVKEFGDAGWYTCHKGGEVLSHSHL
 LLHKKEDGIWSTDILKDQKESKNKTF LKCEAKNYSGRFTCWWLTAISTDLKFSVKSSR
 GSSDPRGVT CGAATLSAERVSVDREYKKYTVECQEGSACPAAEESLP I EIVVDAVHK
 LKYENYTS GFFIRDI I KPDPPKNLQLKPLKNSRQVEVSW EYPETWSTPHSYFSLTFSI
 QVQGKNKKERKDRLFMDETSATVTCHKDQIRVQARDRYSSSWSEWASVSCS"
 sig_peptide 1..66
 /gene="IL-12 p40"
 variation 714
 /gene="IL-12 p40"
 /note="allelic difference, no change in amino acid
 sequence"
 /replace="g"
 misc_feature 1041..1058
 /note="primer-derived sequence"
 BASE COUNT 284 a 269 c 282 g 223 t
 ORIGIN

```

1 atgtgtcacc agtgggttgg cctctcctgg ttttccctgg ttttgctggc gtctcccctc
61 atggccatat gggaactgga gaaagatgtg tatgtttag aattggattg gtaccctgat
121 gcccctggag aaatgggtgg cctcacctgc aatacccctg aagaagaagg catcacctgg
181 acctcgcccc agagcaatga ggtcttaggc tctggcaaaa ccttgaccat ccaagtcaaa
241 gagtttggag atgctggctg gtacacctgt cacaaggag gcgaggttct gagccattct
301 cacctgtctg ttcacaagaa ggaagatgga atttggcca ctgacatttt aaaagaccag
361 aaagaatcca aaaataagac ctttctaaaa tgtgaggcaa agaattattc cggacgtttc
421 acatgtctgg ggctgacagc aatcagtact gatttgaaat tcagtgtcaa aagcagcaga
481 gggttcctctg acccccagag ggtgacgtgt ggagcagcga cactctccgc agagagggtc
541 agcgtggacg acagggagta taagaagtac acggtggagt gtcaggaggg cagtgcctgc
601 cgggccgcgc aggagagcct gccattgag atcgtggtgg atgctgttca caagctcaag
661 tatgaaaact acaccagcgg cttcttcatac agggacatca tcaaaccaga cccacccaag

```

LOCUS FCIL12P40 1006 bp mRNA MAM 13-MAY-1997
 DEFINITION F.catus mRNA for interleukin-12 p40 chain.
 ACCESSION Y07762
 VERSION Y07762.1 GI:2102664 Birgit OPPMANN, et al.
 KEYWORDS interleukin-12 p40. USSN: 09/658,699
 SOURCE cat. Atty. Docket No.: DX01042X
 ORGANISM Felis catus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Carnivora; Fissipedia; Felidae; Felis.

REFERENCE 1 (bases 1 to 1006)
 AUTHORS Schijns,V.E., Wierda,C.M., Vahlenkamp,T.W. and Horzinek,M.C.
 TITLE Molecular cloning of cat interleukin-12
 JOURNAL Immunogenetics 45 (6), 462-463 (1997)
 MEDLINE 97246745

REFERENCE 2 (bases 1 to 1006)
 AUTHORS Schijns,V.E.C.J.
 TITLE Direct Submission
 JOURNAL Submitted (03-SEP-1996) V.E.C.J. Schijns, Virology Division,
 Veterinary Faculty Utrecht University, Yalelaan 1, NL-3584 CL
 Utrecht, NETHERLANDS

FEATURES Location/Qualifiers
 source 1..1006
 /organism="Felis catus"
 /db_xref="taxon:9685"
 /cell_type="lymphocyte"
 /tissue_type="peripheral blood"
 gene 1..990
 /gene="IL-12.p40"
 CDS 1..990
 /gene="IL-12.p40"
 /note="heterodimer with IL-12 p35 chain"
 /codon_start=1
 /product="interleukin-12 p40 chain"
 /protein_id="CAA69068.1"
 /db_xref="GI:2102665"
 /db_xref="SWISS-PROT:O02744"
 /translation="MHPQQLVIAWLSLVLLAPPLMAIWELEKNVYVVELDWHDPAPGE
 MVVLTCNTPEEDDITWTSQSSSEVLGSGKTLTIQVKEFADAGQYTCHKGGEVLSHSFL
 LIHKKEDGIWSTDILREQESKNKIFLKCEAKNYSGRFTCWLLTAISTDLKFTVKSSR
 GSSDPQEVTCGAATLSAEKVRVDNRDYKKYTVECQEGSACPAAEESLPIEVVVDIAHK
 LKYENYTSFFIRDIIKPDPPKNLQLKPLKNSRHEVVSWEYPDTWSTPHSYFSLTFGV
 QVQGKNNREKKDRLSVDKTSAKVVCHKDAKIRVQARDRIYSSWSNWSVSCS"

BASE COUNT 288 a 258 c 249 g 211 t
 ORIGIN
 1 atgcacccctc agcagttggt catcgccctg ctttccctgg ttttgctggc acctcccctc
 61 atggccatat gggaactgga gaaaaacgtt tatgttgtag agttggactg gcaccctgat
 121 gcccccgag aaatggtggt cctcacctgc aatactcctg aagaagatga catcacctgg
 181 acctctgacc agagcagtga agtccttaggc tctggtaaaa ctctgacct ccaagtcaaa
 241 gaatttgtag atgctggcca gtatacctgt cataaaggag gcgaggttct gagccattcg
 301 ttcttcctga tacacaaaaa ggaagatgga atttgggtcca ctgatatctt aagggaacag
 361 aaagaatcca aaaataagat ctttctaaaa tgtgaggcaa agaattattc tggacgtttc
 421 acctgctggt ggctgacggc aatcagtagc gatttgaaat tcaactgtcaa aagcagcaga
 481 ggctcctctg acccccaaga ggtgacttgt ggagcagcga cactctcagc agagaaggctc
 541 agagtggaca acagggatta taagaagtac acagtggagt gtcaggaggg cagtgcctgc
 601 cgggctgccc aggagagcct acccattgaa gtcgtggtgg acgctattca caagctcaag
 661 tacgaaaact acaccagcag cttcttcctc agggacatca tcaaaccgga cccaccaag
 721 aacctgcaac tgaagccatt aaaaaattct cggcatgtgg aagtgagctg ggaataccct
 781 gacacctgga gacccccaca ttctactctc tccttaacat ttggcgtaga ggtccagggc
 841 aagaacaaga gagaaaagaa agacagactc tccgtggaca agacctcagc caaggtcgtg
 901 tgccacaagg atgccaagat ccgcgtgcaa gccagagacc gctactatag ctcatcctgg
 961 agcaactggg catccgtgtc ctgcagttag gttccacccc caggat

//

LOCUS MUSIL40A 1840 bp mRNA ROD 08-MAY-1993
 DEFINITION Mus musculus interleukin 12 p40 subunit, complete cds.
 ACCESSION M86671
 VERSION M86671.1 GI:293663
 KEYWORDS cytotoxin lymphocyte maturation factor; interleukin 12 p40 subunit;
 natural killer cell stimulatory factor.
 SOURCE Mus musculus (strain C57BL/6) spleen cDNA to mRNA.
 ORGANISM Mus musculus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 REFERENCE 1 (bases 1 to 1840)
 AUTHORS Schoenhaut, D.S., Chua, A.O., Wolitzky, A.G., Quinn, P.M., Dwyer, C.M.,
 Gately, M.K. and Gubler, U..
 TITLE Cloning and Expression of Murine IL-12
 JOURNAL J. Immunol. 148, 3433-3440 (1992)
 MEDLINE 92268481
 COMMENT On Jun 12, 1993 this sequence version replaced gi:198344.
 Reference [1] reports bases 1 through 1055.

FEATURES Location/Qualifiers
 source 1..1840
 /organism="Mus musculus" Birgit OPPMANN, et al.
 /strain="C57BL/6" USSN: 09/658,699
 /db_xref="taxon:10090" Atty. Docket No.: DX01042X
 /tissue_type="spleen"
 5'UTR <1..34
 CDS 35..1042
 /codon_start=1
 /product="interleukin 12 p40 subunit"
 /protein_id="AAA39296.1"
 /db_xref="GI:293664"
 /translation="MCPQKLTIWFAIVLLVSPLMAMWELEKDVYVVEVDWTPDAPGE
 TVNLTCDTPEEDDITWTSQDRHGVIGSGKTLTITVKEFLDAGQYTCHKGGETLSHSHL
 LLHKKENGIWSTEILKNFNKFTFLKCEAPNYSGRFTCSWLVRNMDLKFNIKSSSSSP
 DSRVTCGMASLSAEKVTLTDQRDYEKYSVSCQEDVTCPTAEETLPIELALEARQQNKY
 ENYSTSFFIRDIIKPDPPKNLQMKPLKNSQVEVSWEYPDSWSTPHSYFSLKFFVRIQR
 KKEKMKETEEGCNQKGAFLVEKTSTEVQCKGGNVCVQAQDRYNNSSCSKWACVPCRVR
 S"
 3'UTR 1042..1840
 BASE COUNT 551 a 401 c 435 g 453 t
 ORIGIN

```

1 gcacatcaga ccaggcagct cgcagcaaag caagatgtgt cctcagaagc taaccatctc
61 ctggttttgc atcgttttgc tgggtgtctc actcatggcc atgtgggagc tggagaaaga
121 cgtttatgtt gtagagggtg actggactcc cgatgcccct ggagaaacac tgaacctcac
181 ctgtgacacg cctgaagaag atgacatcac ctggacctca gaccagagac atggagtcac
241 aggctctgga aagaccctga ccatcactgt caaagagttt ctagatgctg gccagtacac
301 ctgccacaaa ggaggcgaga ctctgagcca ctcacatctg ctgctccaca agaaggaaaa
361 tgggaatttg tccactgaaa ttttaaaaaa tttcaaaaac aagactttcc tgaagtgtga
421 agcaccaaat tactccggac gggtcacgtg ctcatggctg gtgcaaagaa acatggactt
481 gaagttcaac atcaagagca gtagcagttc ccctgactct cgggcagtga catgtggaat
541 ggcgtctctg tctgcagaga aggtcacact ggaccaaagg gactatgaga agtattcagt
601 gtcctgccag gaggatgtca cctgcccaac tgccgaggag accctgcccc ttgaactggc
661 gttggaagca cggcagcaga ataaatatga gaactacagc accagcttct tcatcaggga
721 catcatcaaa ccagaccgcg ccaagaactt gcagatgaag cctttgaaga actcacaggc
781 ggaggtcagc tgggagtacc ctgactcctg gagcaactcc cattcctact tctccctcaa
841 gttctttgtt cgaatccagc gcaagaaaga aaagatgaag gagacagagg aggggtgtaa
901 ccagaaaggt gcgttcctcg tagagaagac atctaccgaa gtccaatgca aaggcgggaa
961 tgtctgcgtg caagctcagg atcgctatta caattcctca tgcagcaagt gggcatgtgt
1021 tccctgcagg gtccgatcct aggatgaac gttggaaagg aaagaaaagt ggaagacatt
1081 aaggaagaaa aatttaaact caggatggaa gagtccccca aaagctgtct tctgcttggt
1141 tggttttttc cagttttcct aagttcatca tgacaccttt gctgatttct acatgtaaaat
1201 gttaaagtgc cgcagagcca gggagctaag gtatgcatag atattctagc attccacttg
1261 gccttatgct gttgaaatat ttaagtaatt tatgtattta ttaatttatt tctgcatttc
1321 acatttgat accaagatgt attgaatatt tcatgtgtct gtggcctgat ccactgggac
1381 caggccctat tatgcaaatt gtgagcttgt tatctttctt aacagctctt caatcagggc
1441 tgcgtaggta cattagcttt tgtgacaacc aataagaaca taatattctg acacaagcag
1501 tgttacatat ttgtgaccag taaagacata ggtggtatgt ggagacatga agaagctgta
1561 aagttgactc tgaagagttt agcactagtt tcaacaccaa gaaagacttt ttagaagtga
1621 tattgataag aaaccagggc cttctttaga agggtagcta aattttaaag aattttgaaa

```

LOCUS AF004024 984 bp mRNA MAM 14-NOV-2000
 DEFINITION *Ovis aries* interleukin-12 p40 subunit precursor, mRNA, complete cds.
 ACCESSION AF004024
 VERSION AF004024.2 GI:5870870
 KEYWORDS . Birgit OPPMANN, et al.
 SOURCE sheep. USSN: 09/658,699
 ORGANISM *Ovis aries* Atty. Docket No.: DX01042X
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea; Bovidae; Caprinae; Ovis.

REFERENCE 1 (bases 1 to 984)
 AUTHORS Swinburne, S.J., Russ, G.R. and Krishnan, R.
 TITLE Ovine interleukin 12 has biological activity on ovine and human activated peripheral blood mononuclear cells
 JOURNAL Cytokine 12 (10), 1546-1552 (2000)
 MEDLINE 20480126
 PUBMED 11023671

REFERENCE 2 (bases 1 to 984)
 AUTHORS Swinburne, S.J., Russ, G.R. and Krishnan, R.
 TITLE Direct Submission
 JOURNAL Submitted (13-MAY-1997) Transplantation Immunology Laboratory, Queen Elizabeth Hospital, 28 Woodville Road, Adelaide, South Australia 5011, Australia

REFERENCE 3 (bases 1 to 984)
 AUTHORS Swinburne, S.J., Russ, G.R. and Krishnan, R.
 TITLE Direct Submission
 JOURNAL Submitted (13-SEP-1999) Transplantation Immunology Laboratory, The Queen Elizabeth Hospital, 28 Woodville Rd., Adelaide, South Australia, Australia

REMARK Sequence update by submitter
 COMMENT On Sep 13, 1999 this sequence version replaced gi:2199555.

FEATURES Location/Qualifiers
 source 1..984
 /organism="Ovis aries"
 /db_xref="taxon:9940"
 /cell_type="peripheral blood mononuclear"
 sig_peptide 1..66
 CDS 1..984
 /function="cytokine"
 /note="IL-12"
 /codon_start=1
 /product="interleukin-12 p40 subunit precursor"
 /protein_id="AAB61368.2"
 /db_xref="GI:5870871"
 /translation="MHPQQLVVSWSFLVLLASPIVAIWELEKNVYVVELDWYPNAPGE TVVLTCDTPEEDGITWTS DQSSEVLGSGKTLTIQVKEFGDAGQYTCHKGGEVLSRSL LLLHKKEDGIWSTDILKDQKEPKAKSFLKCEAKDYSGHFTCSWLTAISTNLKFSVKSSR GSSDPRGVTCGAASLSAEKVSMDHREYNKYTVCEQEGSACPAEESLP IEVVMEAVHK LKYENYTSSFFIRD I IKPDPK NLQLRPLKNSRQVEVSWEYPDWSTPHSYFSLTFCV QVQGKNKREKKLFTDQTS AKVTCHKDANIRVQARDRYSSFWSEWASVSCS"

mat_peptide 67..981
 /product="interleukin-12 p40 subunit"

BASE COUNT 272 a 248 c 255 g 209 t
 ORIGIN
 1 atgcaccctc agcagttggt cgtttcctgg ttttccttgg ttttgctggc atcgcccatc
 61 gtggccatat gggaactgga gaaaaatgtt tatgtttagt aattggattg gtatcctaata
 121 gctcctggag aaacagtggg cctcacgtgt gacactcctg aagaagacgg catcacctgg
 181 acctcagacc agagcagtga ggtcctgggc tctggcaaaa ccttgaccat ccaagtcaaa
 241 gagtttggag atgctgggca gtacacctgt cacaaggag gcgaggttct gagtcgttca
 301 ctctcctgc tgcacaaaaa ggaagatgga atttggtcca ctgatattt aaaggatcag
 361 aaagaaccca aagctaagag ttttttaaaa tgtgaggcaa aggattattc tggacacttc
 421 acctgctcgt ggctgacagc aatcagtact aatctgaaat tcagtgtcaa aagcagcaga
 481 ggctcctctg acccccagag ggtgacgtgc ggagcagcgt ccctctcagc agagaaggtc
 541 agcatggacc acaggagta taacaagtac acagtggagt gtcaggaggg cagtgcctgc
 601 cgggccgcgg aggagagcct gccattgag gtcgtgatgg aagctgtgca caagctcaag
 661 tatgaaaact acaccagcag cttcttcata caggacatca tcaaaccaga cccacccaag
 721 aacctgcaac tgagaccact aaagaattct cggcaggtgg aagtcagctg ggagtaccct

LOCUS CTU19834 1005 bp mRNA PRI 03-FEB-1996
 DEFINITION Cercocebus torquatus interleukin-12 alpha p40 subunit (IL-12a)
 mRNA, complete cds.
 ACCESSION U19834
 VERSION U19834.1 GI:644785 Birgit OPPMANN, et al.
 KEYWORDS USSN: 09/658,699
 SOURCE red-crowned mangabey. Atty. Docket No.: DX01042X
 ORGANISM Cercocebus torquatus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Cercopithecidae;
 Cercopithecinae; Cercocebus.
 REFERENCE 1 (bases 1 to 1005)
 AUTHORS Villinger, F., Brar, S.S., Mayne, A., Chikkala, N. and Ansari, A.A.
 TITLE Comparative sequence analysis of cytokine genes from human and
 nonhuman primates
 JOURNAL J. Immunol. 155 (8), 3946-3954 (1995)
 MEDLINE 96003435
 REFERENCE 2 (bases 1 to 1005)
 AUTHORS Villinger, F.J.
 TITLE Direct Submission
 JOURNAL Submitted (13-JAN-1995) Francois J. Villinger, Emory University,
 Pathology, 1327 Clifton Rd, Atlanta, GA 30322, USA
 FEATURES
 source Location/Qualifiers
 1..1005
 /organism="Cercocebus torquatus"
 /sub_species="atys"
 /db_xref="taxon:9530"
 /clone="FPn IL-12a"
 /cell_type="peripheral blood mononuclear cells"
 /tissue_type="blood"
 gene 9..995
 /gene="IL-12a"
 CDS 9..995
 /gene="IL-12a"
 /function="NK cell stimulatory factor"
 /codon_start=1
 /product="interleukin-12 alpha p40 subunit"
 /protein_id="AAA86701.1"
 /db_xref="GI:644786"
 /translation="MCHQQLVISWFSVLVFLASPLMAIWELKKDVYVVELDWYPDAPGE
 MVVLTCDTPEEDGITWTLTLDQSGEVLGSGKTLTIQVKEFGDAGQYTCHKGGEALSHSL
 LPHKKEDGIWSTDILKDQKEPKNETFLRCEAKNYSGRITCWWLSTISTDLTFSIISR
 GSSNPQGVTCGAATLSAERVGRDNKEYEYSVEQCEDSACPAAEERLPIEVMVDIAHKL
 KYENYTSSFFIRDIIKPDPPKNLQLKPLKNSRQVEVSWEYPDTWSTPHSYFSLTFCIQ
 VQGKSKREKKDRIFTDKTSATVICRNASFSVQAQDRYSSSWNEWTSVPCS"
 BASE COUNT 275 a 252 c 257 g 221 t
 ORIGIN
 1 agagcaagat gtgtcaccag cagctgggtc tctcttggtt ttccctgggt tttctggcat
 61 ctcccctcat ggccatatgg gaactgaaga aagacgttta tgttgtagaa ttggactggg
 121 acccggtatgc ccctggagaa atgggtgtcc tcacctgtga caccctgaa gaagatggta
 181 tcacctggac cttggaccag agtggtagg tcttaggctc tggcaaaacc ctgacctacc
 241 aagtcaaaga gtttgagat gctggccagt acacctgtca caaaggaggc gaggcttga
 301 gccattcact cctgctgcct cacaaaaagg aagatggaat ttggtccact gatatttta
 361 aggaccgaa agaaccgaaa aatgagacct ttctaagatg cgaggccaaa aattattctg
 421 gacgtatcac ctgctggtgg ctgctgacaa tcagtactga tctgacattc agtatcataa
 481 gcagcagagg ctcttctaac cccaagggg tgacgtgtgg agccgctacg ctctctgcag
 541 agaggggtcag aggggacaat aaggagtatg agtactcagt ggagtgccag gaggacagtg
 601 cctgcccagc cgctgaggag aggctgccc ttgaggtcat ggtggatgcc attcacaagc
 661 tcaagtatga aaactacacc agcagcttct tcatcaggga catcatcaaa cccgaccac
 721 ccaagaactt gcagctgaag ccattaaaga attctcggca ggtggagggtc agctgggagt
 781 accctgacac ctggagtact ccacattcct acttctccct gacattctgc attcagggtc
 841 agggcaagag caagagagaa aagaaagata gaatcttcac agacaagacc tcagccacgg
 901 tcatctgccg caaaaatgcc agcttttagcg tgcaggccca ggaccgctac tatagctcat
 961 cttggaacga atggacatct gtgccctgca gttaggttct gatcc

//

LOCUS MMU19841 1080 bp mRNA PRI 03-FEB-1996

DEFINITION Macaca mulatta interleukin-12 alpha (IL-12a) mRNA, complete cds.

ACCESSION U19841

VERSION U19841.1 GI:644799

KEYWORDS . Birgit OPPMANN, et al.

SOURCE rhesus monkey. USSN: 09/658,699

ORGANISM Macaca mulatta Atty. Docket No.: DX01042X

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Cercopithecidae; Cercopithecinae; Macaca.

REFERENCE 1 (bases 1 to 1080)

AUTHORS Villinger, F., Brar, S.S., Mayne, A., Chikkala, N. and Ansari, A.A.

TITLE Comparative sequence analysis of cytokine genes from human and nonhuman primates

JOURNAL J. Immunol. 155 (8), 3946-3954 (1995)

MEDLINE 96003435

REFERENCE 2 (bases 1 to 1080)

AUTHORS Villinger, F.J.

TITLE Direct Submission

JOURNAL Submitted (13-JAN-1995) Francois J. Villinger, Emory University, Pathology, 1327 Clifton Rd, Atlanta, GA 30322, USA

FEATURES Location/Qualifiers

source 1..1080

/organism="Macaca mulatta"

/db_xref="taxon:9544"

/clone="RSo IL-12a clone 4"

/cell_type="peripheral blood mononuclear cells"

/tissue_type="blood"

gene 13..999

/gene="IL-12a"

CDS 13..999

/gene="IL-12a"

/function="NK cell stimulatory factor"

/codon_start=1

/product="interleukin-12 alpha"

/protein_id="AAB60397.1"

/db_xref="GI:644800"

/translation="MCHQQLVISWFSLVFLASPLMAIWELKKDQVYVVELDWYPDAPGE
MVVLTCDTPEEDGITWTLDQSGEVLGSGKTLTIQVKEFGDAGQYTC HKGGEALSHSL
LLHKKEGDIWSTDVLKDQKEPKNKTFLRCEAKNYSGRFTCWLLTTISTDLTFSVKSSR
GSSNPQGVTCGAVTLAERVGRDNKEYEYSVEQEDSACPAAEERLP IEV MVDAIHKL
KYENYTSSFFIRDIIKPDPPKNLQLKPLKNSRQVEVSWEYPDTWSTPHSYFSLTFCIQ
VQGKSKREKKDRIFTDKTSATVICRKNASFVSQAQDRYSSSWSEWASVPCS"

variation 329

/gene="IL-12a"

/replace="t"

variation 405

/gene="IL-12a"

/replace="c"

variation 519

/gene="IL-12a"

/replace="a"

variation 629

/gene="IL-12a"

/note="Leu to Pro"

/replace="c"

variation 665

/gene="IL-12a"

/note="Leu to Pro"

/replace="c"

variation 714

/gene="IL-12a"

/replace="g"

variation 878

/gene="IL-12a"

/note="Ile to Thr"

/replace="c"

variation 895

/gene="IL-12a"
 /note="Ser to Pro"
 /replace="c"

```

BASE COUNT      309 a      263 c      276 g      232 t
ORIGIN
   1 gcccagagca agatgtgtca ccagcagctg gtcattcttt ggTTTTccct ggTTTTctg
  61 gcatctcccc tcatggccat atgggaactg aagaaagacg tttatgttgt agaattggac
 121 tggtagcccg atgcccctgg agaaatggtg gtcctcacct gtgacacccc tgaagaagat
 181 ggtatcacct ggaccttgga ccagagtggg gaggtcttag gctctggcaa aaccctgacc
 241 atccaagtca aagagtttgg agatgctggc cagtacacct gtcacaaaagg aggcgaggct
 301 ctaagccatt cactcctgct gcttcacaaa aaggaagatg gaatttggtc cactgatgtt
 361 ttaaaggacc agaaagaacc caaaaataag acctttctaa gatgtgaggc caaaaattat
 421 tctggacggt tcacctgctg gtggctgacg acaatcagta ctgatctgac attcagtgtc
 481 aaaagcagca gaggctcttc taaccoccaa ggggtgacgt gtggagccgt tacactctct
 541 gcagagaggg tcagagggga caataaggag tatgagtact cagtggagtg ccaggaggac
 601 agtgctgcc cagccgctga ggagaggctg cccattgagg tcatgggtga tgccattcac
 661 aagctcaagt atgaaaacta caccagcagc ttcttcatca gggacatcat caaacccgac
 721 ccaccaaga acttgagct gaagccatta aagaattctc ggcagggtga ggtcagctgg
 781 gagtaccctg acacctggag tactccacat tcctacttct ccctgacatt ctgcatccag
 841 gtccagggca agagcaagag agaaaagaaa gatagaatct tcacagacaa gacctcagcc
 901 acggtcatct gccgcaaaaa tgccagcttt agcgtgcagg cccaggaccg ctactatagc
 961 tcatcttgga gcgaatgggc atctgtgccc tgcagttagg ttgtgatccc aggatgaaaa
1021 attggaggaa aagtagaaga tattaaccaa aacgtttaa gacacaacgg aatagacca

```

//

LOCUS BTU11815 1012 bp mRNA MAM 27-JAN-1996
 DEFINITION Bos taurus interleukin 12 40 kDa subunit mRNA, complete cds.
 ACCESSION U11815
 VERSION U11815.1 GI:555795 Birgit OPPMANN, et al.
 KEYWORDS . USSN: 09/658,699
 SOURCE cow. Atty. Docket No.: DX01042X
 ORGANISM Bos taurus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidea;
 Bovidae; Bovinae; Bos.
 REFERENCE 1 (bases 1 to 1012)
 AUTHORS Zarlenga, D.S., Canals, A., Aschenbrenner, R.A. and Gasbarre, L.C.
 TITLE Enzymatic amplification and molecular cloning of cDNA encoding the
 small and large subunits of bovine interleukin 12
 JOURNAL Biochim. Biophys. Acta 1270 (2-3), 215-217 (1995)
 MEDLINE 95244628
 REFERENCE 2 (bases 1 to 1012)
 AUTHORS Zarlenga, D.S.
 TITLE Direct Submission
 JOURNAL Submitted (05-JUL-1994) Dante S. Zarlenga, U.S. Department of
 Agriculture, ARS, LPSI, PIL, Beltsville, MD 20705, USA
 FEATURES Location/Qualifiers
 source 1..1012
 /organism="Bos taurus"
 /strain="Holstein"
 /db_xref="taxon:9913"
 /clone="BIL12 40"
 /sex="male"
 /cell_type="lymphocytes and macrophages"
 /tissue_type="lymphoid"
 CDS 1..984
 /codon_start=1
 /product="interleukin 12 40 kDa subunit"
 /protein_id="AAA85792.1"
 /db_xref="GI:555796"
 /translation="MHPQQLVVSWSFLVLLASPIVAMWELEKNVYVVELDWYPDAPGE
 TVVLTCDTPEEDGITWTSQSSEVLGSGKTLTIQVKEFGDAGQYCHKGGEALSRSL
 LLHKKEDGIWSTDILKDQKEPKAKSFLKCEAKDYSGHFTCWWLTAISTDLKFSVKSSR
 GSSDPRGVTCGAALLSAEKVSLHREYNKYTVECQEGSACPAAEESLLIEVVVEAVHK
 LKYENYTSSFFIRDIIKPDPPKNLQLRPLKNSRQVEVSWEYPDWSTPHSYFSLTFCV
 QVQGKNKREKKLFMDQTSKAVTCHKDANVRVQARDRYSSFWSEWASVSCS"
 BASE COUNT 275 a 245 c 267 g 225 t
 ORIGIN
 1 atgcaccctc agcagttggt cgtttcctgg ttttcctcctgg ttttgctggc atctcccatc
 61 gtggccatgt gggaactgga gaaaaatggt tatgttgtag aattggattg gtatcctgat
 121 gctcctggag aaacagtggg cctcacatgt gacactcctg aagaagatgg catcacctgg
 181 acctcagacc agagcagtga ggtcttgggc tctggcaaaa ccttgaccat ccaagtcaaa
 241 gagtttggag atgctgggca gtacacctgt caciaaggag gcgaggctct gagtcgttca
 301 ctctcctcgc tgcacaaaaa ggaagatgga atttggtcca ctgatatttt aaaggatcag
 361 aaagaaccca aagctaagag ttttttaaaa tgtgaggcaa aggattattc tggacacttc
 421 acctgctggt ggctgacagc aatcagtact gatttgaaat tcagtgtcaa aagcagcaga
 481 ggctcctctg acccccagag ggtgacgtgc ggagcagcgt tgctctcagc agagaaggtc
 541 agcttgagagc acagggagta taacaagtac acagtggagt gtcaggaggg cagcgcctgc
 601 ccagccgctg aggagagcct gcttattgag gtcgtggtag aagctgtgca caagctcaag
 661 tatgaaaact acaccagcag cttcttcacg agggacatca tcaaaccaga cccacccaag
 721 aacctgcaac tgagaccatt aaagaattct cggcaggtgg aggtcagctg ggagtacctt
 781 gacacgtgga gcaccccgca ttcctacttc tccctgacgt tttgtgttca ggtccaggga
 841 aagaacaaga gagaaaagaa actcttcacg gaccaaact cagccaaagt cacatgccac
 901 aaggatgcca acgtccgcgt gcaagcccgg gaccgctact acagctcatt ctggagttaa
 961 tgggcatctg tgtcctgcag ttaggttcta acctcagtat gaaacctcag ag

//